



**VIKRAM
INDUSTRIES**
(Since 1991)



1st June, 2025

AN ISO 9001:2015 Certified Co.

**PRODUCT
PORTFOLIO**

I N D E X

1-3

LED POST TOP LUMINARIES

5

LED POST TOP HANGING LUMINARIES

6

LED OUTDOOR LUMINARIES

7-13

BOLLARD GARDEN LIGHTS

14-17

DECORATIVE POLES

19

SPIKE GARDEN LIGHTS

20-22

ORNAMENTAL BRACKETS

23-34

DECORATIVE MORDEN POLES

35-40

DESIGNER DECORATIVE POLES

41-42

CASTED DECORATIVE POLE LIGHTS

44

LED STREET LIGHTS

44

LED FLOOD LIGHTS

45-46

LANDSCAPE LIGHTS





ABOUT US

Vikram Industries, since 1991, is an outstanding leader in manufacturing and supplying poles. Our Portfolio includes Steel Tubular poles, Octagonal poles, High mast poles, Decorative Poles, commercial poles and Lightning Brackets.

From last 35 Years Vikram Industries has earned a strong reputation for delivering various products. Our product range underscores our expertise and commitment to exactitude, innovation and reliability, making us a trusted partner for various pole requirements.

Our team believes in Clarity in goals before execution as planning is a crucial part of our process to gain excellence. We are one call away offering an unwavering support whenever you need us.

We continuously strive for improvement in quality and performance by welcoming innovation and progress within the system. We believe that lifelong learning is essential. We strive for perfection and excellence in every department. We make the highest quality product which undergoes rigours testing.

LEADERSHIP

Retd. Chief Engineer Narinder Singh Dehal is the founder and chairman of Vikram Industries. The visionary ideas and leadership of our founder has enabled our brand to become the leading manufacturer and supplier of street light poles. His 35 years of experience in the industry have helped the company to grow rapidly.

Er. Jaskiran Kaur Dehal is the proprietor and marketing head of the company. Her dedication have significantly contributed to Vikram Industries ongoing reputation and success in the industry. She is responsible for crafting and implementing the overall marketing strategy, building brand awareness, and driving sales. She leads the marketing team, manage budgets, and oversee various marketing activities, including digital marketing, advertising, and events.

Er. Vikramjit Singh Dehal is the CEO of the company. His innovative ideas has helped the industry to evolve with time. He is dedicatedly working to improving the overall process of the industry by penetrating various product segment. He is building the infrastructure for chasing excellence in our deliveries and offerings. Known for his strategic insight operational expertise, Vikramjit Singh Dehal is entrusted in managing and streamlining the key manufacturing activities to ensure efficiency and growth.

COMPANY PROFILE

LED POST TOP LUMINAIRES



Cat. Ref. No.	Size (WxH) mm	Wattage $\pm$ 5%
VI-PT-01	615x460mm	40w
VI-PT-02	615x460mm	60w

Cast Aluminium Lighting Fixtures, Polycarbonate diffuser, Stainless steel screws, Corrosion and UV Ray resistant coating.



Cat. Ref. No.	Size (WxH) mm	Wattage $\pm$ 5%
VI-PT-03	425x680mm	50w
VI-PT-04	510x800mm	80w

Cast & Spun Aluminium Lighting fixture, Mild steel bottom structure, Acrylic diffuser, Silicon rubber gasket, Stainless steel screw, Corrosion & UV Ray Resistant Coating.



Cat. Ref. No.	Size (WxH) mm	Wattage $\pm$ 5%
VI-PT-05	340x620mm	40w
VI-PT-06	490x890mm	60w

Cast Aluminium Lighting Fixtures, Polycarbonate diffuser, Stainless steel screws, Corrosion and UV Ray resistant coating.



Cat. Ref. No.	Size (WxH) mm	Wattage $\pm$ 5%
VI-PT-07	290x625mm	40w
VI-PT-08	370x700mm	60w

Cast & Spun Aluminium Lighting fixture, Mild steel bottom structure, Acrylic diffuser, Silicon rubber gasket, Stainless steel screw, Corrosion & UV Ray Resistant Coating.

LED POST TOP LUMINAIRES



Cat. Ref. No.

Size (WxH) mm

Wattage $\pm$ 5%

VI-PT-09
VI-PT-10

445x995mm
445x995mm

50w
80w

Cast Aluminium Lighting Fixtures, Polycarbonate diffuser, Stainless steel screws, Corrosion and UV Ray resistant coating.



Cat. Ref. No.

Size (WxH) mm

Wattage $\pm$ 5%

VI-PT-11
VI-PT-12

625x800mm
625x800mm

50w
80w

Cast Aluminium base, Spun aluminium Top, Stainless Steel Screw, Corrosion & UV Ray Resistant Coating.



Cat. Ref. No.

Size (WxH) mm

Wattage $\pm$ 5%

VI-PT-13
VI-PT-14

420x900mm
420x900mm

40w
60w

Cast Aluminium Base, Spun Aluminium Top, Acrylic Diffuser, Stainless Steel Screw, Corrosion & UV Ray Resistant Coating.



Cat. Ref. No.

Size (WxH) mm

Wattage $\pm$ 5%

VI-PT-15
VI-PT-16

500x780mm
625x930mm

40w
60w

Cast Aluminium Base, Spun Aluminium Top, Acrylic Diffuser, Stainless Steel Screw, Corrosion & UV Ray Resistant Coating.

LED POST TOP LUMINAIRES



Cat. Ref. No.

Size (WxH) mm

Wattage $\pm$ 5%

VI-PT-17
VI-PT-18

545x875mm
545x875mm

50w
80w

Cast Aluminium Lighting Fixtures, Polycarbonate diffuser, Stainless steel screws, Corrosion and UV Ray resistant coating.



Cat. Ref. No.

Size (WxH) mm

Wattage $\pm$ 5%

VI-PT-19
VI-PT-20

500x1270mm
500x1270mm

50w
80w

Aluminium Housing, Duly Powder/PU painted with PC/PMMA clear/forsted diffuser, Stainless Steel Screw, Corrosion & UV Ray Resistant Coating.



Cat. Ref. No.

Size (WxH) mm

Wattage $\pm$ 5%

VI-PT-21
VI-PT-22

505x1010mm
505x1010mm

50w
80w

Cast Aluminium Lighting Fixtures, Polycarbonate Diffuser, Stainless Steel Screws, Corrosion and UV Ray Resistant Coating.



Cat. Ref. No.

Size (WxH) mm

Wattage $\pm$ 5%

VI-PT-23
VI-PT-24

430x1010mm
430x1010mm

50w
80w

Cast Aluminium Lighting Fixtures, Polycarbonate Diffuser, Stainless Steel Screw, Corrosion & UV Ray Resistant Coating.



- High strength die-cast aluminum housing,
- High milky diffuser cover,
- High strength impact resistance.

The pervious to light cover is fixed by screws with high reliability and good sealing performance, making the lamp waterproof to **IP65**

Load lightning protection device, lightning protection level up to 10kV

LED POST TOP HANGING LUMINAIRES



Cat. Ref. No.

Size (WxH) mm

Wattage $\pm$ 5%

VI-PT-25
VI-PT-26

425x430mm
510x560mm

50w
80w

Cast Aluminium Lighting Fixtures, Polycarbonate diffuser, Stainless steel screws, Corrosion and UV Ray resistant coating.



Cat. Ref. No.

Size (WxH) mm

Wattage $\pm$ 5%

VI-PT-27
VI-PT-28

548x620mm
625x630mm

50w
80w

Cast Aluminium Lighting Fixtures, Polycarbonate Diffuser, Stainless Steel Screws, Corrosion & UV Ray Resistant Coating.



Cat. Ref. No.

Size (WxH) mm

Wattage $\pm$ 5%

VI-PT-29

600x590mm

50w

Cast Aluminium Lighting Fixtures, Polycarbonate Diffuser, Stainless Steel Screws, Corrosion and UV Ray Resistant Coating.



Cat. Ref. No.

Size (WxH) mm

Wattage $\pm$ 5%

VI-PT-30
VI-PT-31

485x690mm
485x790mm

50w
80w

Cast Aluminium Lighting Fixtures, Polycarbonate Diffuser, Stainless Steel Screw, Corrosion & UV Ray Resistant Coating.

LED OUTDOOR LUMINARIES



Cat. Ref. No.	Size (WxH) mm	Lamp Type
VI-OL-01	275x525mm	Retrofit LED
VI-OL-02	220x440mm	Retrofit LED
VI-OL-03	220x370mm	Retrofit LED

Cast Aluminium Lighting Fixtures, Stainless Steel Screws, Corrosion and UV Ray Resistant Coating, Sand Blasted Glass Diffuser.



Cat. Ref. No.	Size (WxH) mm	Lamp Type
VI-OL-04	280x530mm	Retrofit LED
VI-OL-05	200x405mm	Retrofit LED
VI-OL-06	200x365mm	Retrofit LED

Cast Aluminium Lighting Fixtures, Stainless Steel Screws, Corrosion and UV Ray Resistant Coating, Sand Blasted Glass Diffuser.



Cat. Ref. No.	Size (WxH) mm	Lamp Type
VI-OL-07	280x660mm	Retrofit LED
VI-OL-08	200x505mm	Retrofit LED
VI-OL-09	200x415mm	Retrofit LED

Cast Aluminium Lighting Fixtures, Stainless Steel Screws, Corrosion and UV Ray Resistant Coating, Sand Blasted Glass Diffuser.



Cat. Ref. No.	Size (WxH) mm	Lamp Type
VI-OL-10	335x680mm	Retrofit LED
VI-OL-11	250x490mm	Retrofit LED
VI-OL-12	250x440mm	Retrofit LED

Cast Aluminium Lighting Fixtures, Stainless Steel Screws, Corrosion and UV Ray Resistant Coating, Sand Blasted Glass Diffuser.



Cat. Ref. No.	Size (WxH) mm	Lamp Type
VI-OL-13	365x685mm	Retrofit LED
VI-OL-14	215x440mm	Retrofit LED
VI-OL-15	215x340mm	Retrofit LED

Cast Aluminium Lighting Fixtures, Stainless Steel Screws, Corrosion and UV Ray Resistant Coating, Sand Blasted Glass Diffuser.

GARDEN LIGHT BOLLARDS



Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
---------------	-------------------	-----------

VI-GL-01	6W	500mm
VI-GL-02	12W	800mm

Aluminium Housing, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating

Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
---------------	-------------------	-----------

VI-GL-03	6W	500mm
VI-GL-04	12W	800mm

Aluminium Housing, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating



Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
---------------	-------------------	-----------

VI-GL-05	5W	380mm
VI-GL-06	10W	680mm
VI-GL-07	10W	800mm

Aluminium Housing, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating

Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
---------------	-------------------	-----------

VI-GL-08	E-27	500mm
VI-GL-09	5W	500mm
VI-GL-10	10W	760mm

Aluminium Housing, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating

GARDEN LIGHT BOLLARDS



Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
---------------	-------------------	-----------

VI-GL-11	E-27	500mm
VI-GL-12	5W	500mm
VI-GL-13	10W	760mm

Aluminium Housing, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating

Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
---------------	-------------------	-----------

VI-GL-14	E-27	500mm
VI-GL-15	5W	500mm
VI-GL-16	10W	760mm

Aluminium Housing, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating



Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
---------------	-------------------	-----------

VI-GL-17	E-27	500mm
VI-GL-18	5W	500mm
VI-GL-19	10W	760mm

Aluminium Housing, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating

Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
---------------	-------------------	-----------

VI-GL-20	6W	500mm
VI-GL-21	12W	760mm

Aluminium Housing, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating

GARDEN LIGHT BOLLARDS



Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
VI-GL-22	12W	800mm

Aluminium Housing, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating



Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
VI-GL-23	12W	800mm

Aluminium Housing, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating



Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
VI-GL-24	E-27	365mm
VI-GL-25	E-27	750mm
VI-GL-26	E-27	930mm

Aluminium Housing, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating



Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
VI-GL-27	12W	800mm

Aluminium Housing, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating

GARDEN LIGHT BOLLARDS



Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
VI-GL-28	36W	1000mm

Aluminium Housing, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating



Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
VI-GL-29	20W COB	1000mm

Aluminium Housing/Mild Steel, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating



Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
VI-GL-30	36W	1000mm

Aluminium Housing/Mild Steel, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating



Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
VI-GL-31	E-27	1000mm

Aluminium Casting, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating

LUMINO Pole

LUMINO SERIES

MODEL (Single Arm)	MODEL (Double Arm)	Height	MRP (10w)	MRP (2x10w)
B 10006	B 10008	2.4mtr	₹ 21000/-	₹ 24000/-
B 10007	B 10009	3mtr	₹ 23000/-	₹ 26000/-
Material: Aluminium				

GATE LIGHT



BOLLARD

POLE LIGHT

WALL LIGHT



Load lightning protection device, lightning protection level up to 10kV

GARDEN LIGHT BOLLARDS



Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
VI-GL-32	E-27	900mm

Aluminium Casting, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating

Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
VI-GL-33	E-27	870mm

Aluminium Casting, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating



Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
VI-GL-34	E-27	970mm

Aluminium Casting, Powder Coated, Acrylic Diffuser
Stainless Steel Screws, Corrosion & UV Ray Resistant Coating

Cat. Ref. No.	Wattage $\pm 5\%$	Height mm
VI-GL-35	Single Arm	260x1215mm
VI-GL-36	Double Arm	650x1160mm
		Retrofit LED

Retrofit LED

GARDEN LIGHT BOLLARDS



Cat. Ref. No.	Size WxH (mm)	Lamp Type
VI-GL-37	Single Arm 220x1125mm	Retrofit LED
VI-GL-38	Double Arm 520x1375mm	Retrofit LED

Cat. Ref. No.	Size WxH (mm)	Lamp Type
VI-GL-39	Single Arm 280x1255mm	Retrofit LED
VI-GL-40	Double Arm 545x1370mm	Retrofit LED



Cat. Ref. No.	Size WxH (mm)	Lamp Type
VI-GL-41	Single Arm 250x1185mm	Retrofit LED
VI-GL-42	Double Arm 655x1455mm	Retrofit LED

Cat. Ref. No.	Size WxH (mm)	Lamp Type
VI-GL-43	Single Arm 250x1185mm	Retrofit LED
VI-GL-44	Double Arm 655x1455mm	Retrofit LED

DECORATIVE POLES



Cat. No.
VI-DP-01



Cat. No.
VI-DP-02



Cat. No.
VI-DP-03



Cat. No.
VI-DP-04



Cat. No.
VI-DP-05



Cat. No.
VI-DP-06

Material : Mild Steel Pole with Polyurethane Coating

DECORATIVE POLES



Cat. No.
VI-DP-07



Cat. No.
VI-DP-08



Cat. No.
VI-DP-09



Cat. No.
VI-DP-10



Cat. No.
VI-DP-11



Cat. No.
VI-DP-12

Material : Mild Steel Pole with Polyurethane Coating

DECORATIVE POLES



Cat. No.
VI-DP-13



Cat. No.
VI-DP-14



Cat. No.
VI-DP-15



Cat. No.
VI-DP-16



Cat. No.
VI-DP-17

Material : Cast Aluminium / Cast Iron Base, Mild Steel Grooved Pipe with Polyurethane Coating

DECORATIVE POLES



Cat. No.
VI-DP-18



Cat. No.
VI-DP-19



Cat. No.
VI-DP-20



Cat. No.
VI-DP-21



Cat. No.
VI-DP-22

Material : Cast Aluminium / Cast Iron Base, Mild Steel Grooved Pipe with Polyurethane Coating



SPIKE GARDEN LIGHTS



Cat. No. : VI-PG-01
Wattage: 6W, 12W



Cat. No. : VI-PG-02
Wattage: 6W, 12W



Cat. No. : VI-PG-03
Wattage: 6W, 12W



Cat. No. : VI-PG-04
Wattage: 9W, 12W



Cat. No. : VI-PG-05
Wattage: 9W, 12W



Cat. No. : VI-PG-06
Wattage: 9W, 12W



Cat. No. : VI-PG-07
Wattage: 9W, 12W



Material :
Cast Aluminium with
Toughened Glass




ORNAMENTAL BRACKETS



Cat. No. : VI-OB-01



Cat. No. : VI-OB-02




Cat. No. : VI-OB-03




Cat. No. : VI-OB-04




Cat. No. : VI-OB-05




Cat. No. : VI-OB-06




Cat. No. : VI-OB-07




Cat. No. : VI-OB-08




Cat. No. : VI-OB-09



Cat. No. : VI-OB-10



Cat. No. : VI-OB-11




Cat. No. : VI-OB-12


ORNAMENTAL BRACKETS




Cat. No. : VI-OB-13




Cat. No. : VI-OB-14




Cat. No. : VI-OB-15




Cat. No. : VI-OB-16



Cat. No. : VI-OB-17




Cat. No. : VI-OB-18




Cat. No. : VI-OB-19




Cat. No. : VI-OB-20




Cat. No. : VI-OB-21



Cat. No. : VI-OB-22




Cat. No. : VI-OB-23




Cat. No. : VI-OB-24


ORNAMENTAL BRACKETS



Cat. No. : VI-OB-25



Cat. No. : VI-OB-26




Cat. No. : VI-OB-27



DECORATIVE MODERN POLES



Cat. No.
VI-DMPL-01



Cat. No.
VI-DMPL-02



Cat. No.
VI-DMPL-03



Cat. No.
VI-DMPL-04

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture,
Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion &
UV Ray Resistant Coating

DECORATIVE MODERN POLES



Cat. No.
VI-DMPL-05



Cat. No.
VI-DMPL-06




Cat. No.
VI-DMPL-07



Cat. No.
VI-DMPL-08

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture,
Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion &
UV Ray Resistant Coating



DECORATIVE MODERN POLES



Cat. No.
VI-DMPL-09

Cat. No.
VI-DMPL-10



Cat. No.
VI-DMPL-11

Cat. No.
VI-DMPL-12

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture,
Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion &
UV Ray Resistant Coating

DECORATIVE MODERN POLES



Cat. No.
VI-DMPL-13



Cat. No.
VI-DMPL-14



Cat. No.
VI-DMPL-15

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture,
Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion &
UV Ray Resistant Coating

DECORATIVE MODERN POLES



Cat. No.
VI-DMPL-16



Cat. No.
VI-DMPL-17



Cat. No.
VI-DMPL-18



Cat. No.
VI-DMPL-19

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture,
Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion &
UV Ray Resistant Coating

DECORATIVE MODERN POLES



Cat. No.
VI-DMPL-20



Cat. No.
VI-DMPL-21



Cat. No.
VI-DMPL-22



Cat. No.
VI-DMPL-23

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture,
Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion &
UV Ray Resistant Coating

DECORATIVE MODERN POLES



Cat. No.
VI-DMPL-24



Cat. No.
VI-DMPL-25



Cat. No.
VI-DMPL-26



Cat. No.
VI-DMPL-27



Cat. No.
VI-DMPL-28

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture,
Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion &
UV Ray Resistant Coating

DECORATIVE MODERN POLES



Cat. No.
VI-DMPL-29



Cat. No.
VI-DMPL-30





Cat. No.
VI-DMPL-31



Cat. No.
VI-DMPL-32

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture,
Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion &
UV Ray Resistant Coating



DECORATIVE MODERN POLES



Cat. No.
VI-DMPL-33



Cat. No.
VI-DMPL-34



Cat. No.
VI-DMPL-35



Cat. No.
VI-DMPL-36

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture,
Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion &
UV Ray Resistant Coating

DECORATIVE MODERN POLES



Cat. No.
VI-DDPL-01



Cat. No.
VI-DDPL-02



Cat. No.
VI-DDPL-03

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture,
Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion &
UV Ray Resistant Coating

DESIGNER DECORATIVE POLES



Cat. No.
VI-DDPL-04



Cat. No.
VI-DDPL-05



Cat. No.
VI-DDPL-06

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture,
Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion &
UV Ray Resistant Coating

DESIGNER DECORATIVE POLES



Cat. No.
VI-DDPL-07



Cat. No.
VI-DDPL-08




Cat. No.
VI-DDPL-09

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture,
Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion &
UV Ray Resistant Coating

DESIGNER DECORATIVE POLES



Cat. No.
VI-DDPL-10



Cat. No.
VI-DDPL-11

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture,
Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion &
UV Ray Resistant Coating

DESIGNER DECORATIVE POLES



Cat. No.
VI-DDPL-12

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture,
Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion &
UV Ray Resistant Coating



Cat. No.
VI-DDPL-13

Spark Lighting - Decorative Pole with Double
Arm Drop Down Bracket and Twin Nos.
50 Watt LED drop Down Texture



DESIGNER DECORATIVE POLES



Cat. No.
VI-DDPL-14



Cat. No.
VI-DDPL-15



Cat. No.
VI-DDPL-16

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture,
Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion &
UV Ray Resistant Coating

CASTED DECORATIVE POLE LIGHTS



Cat. Ref. No.	Size WxH (mm)	Lamp Type
VI-CDPL-02	780x3030mm	Retrofit LED

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture, Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion & UV Ray Resistant Coating

Cat. Ref. No.	Size WxH (mm)	Lamp Type
VI-CDPL-01	920x2750mm	Retrofit LED

Cat. Ref. No.	Size WxH (mm)	Lamp Type
VI-CDPL-03	800x3030mm	Retrofit LED

CASTED DECORATIVE POLE LIGHTS



Cat. Ref. No.	Size WxH (mm)	Lamp Type
VI-CDPL-05	910x2720mm	Retrofit LED

Mild Steel Pole, Mild Steel Bracket, Cast Aluminium Lighting Fixture, Toughened Glass Silicon Gasket, Stainless Steel Screws, Corrosion & UV Ray Resistant Coating

Cat. Ref. No.	Size WxH (mm)	Lamp Type
VI-CDPL-04	655x1455mm	Retrofit LED





LED STREET LIGHT FIXTURE



Cat. No.	Watt	Input Voltage	Lumen	IP	Surge Protection	PF
VI-VI 30	30w	85V AC - 300 AC, ~47-60Hz	3000	66	4-6 KV	>0.98
VI-VI 50	50w	85V AC - 300 AC, ~47-60Hz	5000	66	4-6 KV	>0.98
VI-VI 70	70w	85V AC - 300 AC, ~47-60Hz	7000	66	4-6 KV	>0.98
VI-VI 100	100w	85V AC - 300 AC, ~47-60Hz	10000	66	4-6 KV	>0.98
VI-VI 120	120w	85V AC - 300 AC, ~47-60Hz	12000	66	4-6 KV	>0.98
VI-VI 150	150w	85V AC - 300 AC, ~47-60Hz	15000	66	4-6 KV	>0.98
VI-VI 200	200w	85V AC - 300 AC, ~47-60Hz	20000	66	4-6 KV	>0.98

LED FLOOD LIGHT FIXTURE



Cat. No.	Watt	Input Voltage	Lumen	IP	Surge Protection	PF
VI-VI 30	30w	85V AC - 300 AC, ~47-60Hz	3000	66	4-6 KV	>0.98
VI-VI 50	50w	85V AC - 300 AC, ~47-60Hz	5000	66	4-6 KV	>0.98
VI-VI 70	70w	85V AC - 300 AC, ~47-60Hz	7000	66	4-6 KV	>0.98
VI-VI 100	100w	85V AC - 300 AC, ~47-60Hz	10000	66	4-6 KV	>0.98
VI-VI 120	120w	85V AC - 300 AC, ~47-60Hz	12000	66	4-6 KV	>0.98
VI-VI 150	150w	85V AC - 300 AC, ~47-60Hz	15000	66	4-6 KV	>0.98
VI-VI 200	200w	85V AC - 300 AC, ~47-60Hz	20000	66	4-6 KV	>0.98

LANDSCAPE LIGHTS



Cat. Ref. No. VI-LL-01
Wattage 4W



Cat. Ref. No. VI-LL-02
Wattage 3W



Cat. Ref. No. VI-LL-03
Wattage 4W



Cat. Ref. No. VI-LL-04
Wattage 7W



Cat. Ref. No. VI-LL-05
Wattage 2x3W
VI-LL-06 2x5 OCB



Cat. Ref. No. VI-LL-07
Wattage 1x3W
VI-LL-08 1x5 COB



Cat. Ref. No. VI-LL-09
Wattage 2x3W



Cat. Ref. No. VI-LL-10
Wattage 3W



Cat. Ref. No. VI-LL-11
Wattage 3W



Cat. Ref. No. VI-LL-12
Wattage 3W



Cat. Ref. No. VI-LL-13
Wattage 3W



Cat. Ref. No. VI-LL-14
Wattage 2x1W

LANDSCAPE LIGHTS



Cat. Ref. No. VI-LL-15
Wattage 4x1W



Cat. Ref. No. VI-LL-16
Wattage 6W



Cat. Ref. No. VI-LL-17
Wattage 15W



Cat. Ref. No. VI-LL-18
Wattage 10W



Cat. Ref. No. VI-LL-19
Wattage 2x12W



Cat. Ref. No. VI-LL-20
Wattage 2x5W



Cat. Ref. No. VI-LL-21
Wattage 2x3W



Cat. Ref. No. VI-LL-22
Wattage 1x3W
VI-LL-23 3x3W



Cat. Ref. No. VI-LL-24
Wattage 2x3W
VI-LL-25 4x3W



Cat. Ref. No. VI-LL-26
Wattage 2x3W



Cat. Ref. No. VI-LL-27
Wattage 1x3W
VI-LL-28 3x3W



Cat. Ref. No. VI-LL-29
Wattage 2x3W
VI-LL-30 4x3W





antique Street pole light is the essential part for utility lighting system. It is made of Mild Steel, concrete or wood.



**VIKRAM
INDUSTRIES**
(Since 1991)

VIKRAM INDUSTRIES

(An ISO 9001: 2015 Certified Company)

C 145, SECTOR 73 (Phase-7), Industrial Area,
S.A.S Nagar, Mohali, Punjab, 160055

Mobile : 9988940001, 9814624935

Email : salesvikram12@gmail.com

 vikramindustry.com  **99889-40001**

